

A Narrative Review On Various Homoeopathy Repertories In Management Of Osteopenia In Perimenopausal Women

Dr. Shaik Afroze Sultana^{1*}, Dr. Parth Aphale²

^{1*}Ph.D Scholar, Dr. D.Y.Patil Vidyapeeth (Deemed To be University), Pimpri, Pune, Maharashtra, India. Associate Professor, Department of Physiology and Biochemistry, MNR Homoeopathic Medical College and Hospital, Mohd. Shapur, Telangana, India. Email ID: drafrozesultana@hotmail.com

² Professor & HOD Department of Homeopathic Pharmacy, Dr. D. Y. Patil Homeopathic Medical College & Research Centre, Dr. D.Y. Patil Vidyapeeth (Deemed To be University), Pimpri, Pune, Maharashtra, India. Email ID: parth.aphale@dpu.edu.in

Abstract

Background:

Osteopenia, characterized by reduced bone mineral density (BMD), is a significant precursor to osteoporosis and poses a growing health concern, particularly among perimenopausal women. The perimenopausal period is marked by hormonal fluctuations—most notably a decline in estrogen levels—that disrupt bone remodeling processes and accelerate bone loss. Conventional treatment options, while effective in some cases, often carry side effects or contraindications, prompting interest in complementary approaches such as homoeopathy. As a holistic system of medicine, homoeopathy emphasizes individualized treatment, minimal pharmacological burden, and the stimulation of the body's inherent healing mechanisms. Central to homoeopathic practice is the use of repertories—structured reference tools that systematically organize symptoms and corresponding remedies, facilitating accurate remedy selection.

Objective:

This narrative review seeks to explore the relevance, scope, and application of various classical and modern homoeopathic repertories in the management of osteopenia in perimenopausal women. The aim is to critically assess how repertorial tools assist practitioners in identifying remedies that align with the multifaceted symptomatology and constitutional profile commonly observed in this patient group.

Methods:

The review involved a detailed examination of key repertorial sources, including Kent's *Repertory of the Homoeopathic Materia Medica*, Boericke's *Repertory*, the *Synthesis Repertory*, and the *Complete Repertory*. Rubrics pertinent to bone degeneration, hormonal imbalances, menopausal symptoms, and general constitutional traits were extracted and analyzed. Additionally, corroborative insights were drawn from related homoeopathic materia medica, clinical case literature, and peer-reviewed articles to contextualize the repertorial data within current clinical understanding.

Results:

Analysis revealed that certain remedies—most notably *Calcarea carbonica*, *Silicea*, *Phosphorus*, *Sepia*, and *Calcarea phosphorica*—are frequently indicated in repertories in connection with symptoms of osteopenia and perimenopause. These remedies correspond not only to the physiological manifestations of declining bone density, but also to the broader constitutional and psychological features characteristic of the perimenopausal transition. Each repertory offers unique methodological strengths: Kent's repertory excels in hierarchical organization and mental generals; Boericke's provides clinical rubrics; the *Synthesis* and *Complete* repertories offer extensive rubric coverage and integration with digital software tools. However, limitations such as rubric redundancy, rubric omissions, and challenges in repertory cross-referencing were also identified.

Conclusion:

Homoeopathic repertories are indispensable tools in the individualized treatment of osteopenia among perimenopausal women. By offering a systematic means of translating complex symptom pictures into remedy indications, they support a nuanced, patient-centered therapeutic approach. The integration of repertorial analysis with materia medica study and clinical judgment enhances the precision of remedy selection and may contribute to improved patient outcomes. Nonetheless, ongoing research—including well-documented clinical case studies and outcome-based trials—is essential to further validate the efficacy of homoeopathic repertorization in the management of osteopenia and to refine the repertorial tools used in contemporary practice.

Keywords: Osteopenia, Perimenopause, Homoeopathy, Repertory, Repertorization, Bone Mineral Density, Constitutional Treatment, Menopausal Health, Complementary Medicine

INTRODUCTION

The perimenopausal period represents a significant transitional phase in a woman's life, marked by a complex interplay of hormonal, physiological, and psychological changes. This transitional window—typically spanning several years before the complete cessation of menstruation—ushers in a gradual decline in ovarian function, with fluctuating and eventually diminishing levels of estrogen and progesterone. While these hormonal shifts are part of a natural biological progression, they often manifest with a spectrum¹⁻⁵ of clinical symptoms that significantly affect a woman's overall well-being. Among these, one of the most insidious yet clinically significant complications is the progressive decline in bone mineral density (BMD), leading to a condition known as **osteopenia**.

Osteopenia, defined as a reduction in bone density that is lower than the normal peak but not severe enough to meet the diagnostic criteria for osteoporosis, is increasingly prevalent among perimenopausal and postmenopausal women. According to the World Health Organization (WHO), osteopenia is diagnosed when the BMD T-score lies between -1.0 and -2.5. Although often asymptomatic in its early stages, osteopenia serves as a harbinger for the development of osteoporosis, and consequently, fragility fractures. These fractures, particularly of the hip, spine, and wrist, are associated with substantial morbidity, reduced quality of life, and increased mortality in older populations. Early detection and timely intervention during the perimenopausal stage are therefore critical to preventing long-term skeletal complications.

From a pathophysiological standpoint, estrogen plays a pivotal role in maintaining bone homeostasis by modulating the activity of osteoblasts and osteoclasts. The estrogen deficiency characteristic of perimenopause leads to increased bone resorption, decreased calcium absorption, and an overall imbalance in bone remodeling. Although conventional medicine offers a variety of management strategies for osteopenia—including calcium and vitamin D supplementation, bisphosphonates, selective estrogen receptor modulators (SERMs), and hormone replacement therapy (HRT)—these interventions are not without limitations. Concerns regarding adverse effects, contraindications, and long-term safety profiles have prompted many women to seek gentler, more holistic, and individualized alternatives.

Homoeopathy, a time-honored system of medicine founded by Dr. Samuel Hahnemann in the late 18th century, has emerged as a viable complementary and alternative therapeutic modality for the management of various chronic and constitutional health conditions. Rooted in the principles of *similia similibus curentur* (“like cures like”), the law of minimum dose, and individualization, homoeopathy emphasizes a holistic approach that treats the patient as a whole rather than focusing solely on disease pathology. This makes it particularly well-suited for addressing complex, multifactorial conditions such as osteopenia in the perimenopausal population, where hormonal, metabolic, emotional, and constitutional factors coalesce.

One of the most distinctive features of homoeopathic practice is the **use of repertories**—systematically organized indexes of symptoms and the remedies associated with them. A repertory serves as a clinical tool that aids the homoeopath in remedy selection by facilitating the analysis of the totality of a patient's symptoms. The process of **repertorization**⁶⁻¹⁰, or the use of a repertory to identify the most appropriate remedy, remains a cornerstone of homoeopathic case management. Over the centuries, a wide range of repertories have been developed, each reflecting distinct methodologies, philosophical underpinnings, and practical applications.

These repertories range from the early, structured logic of **Boenninghausen's Therapeutic Pocket Book**, the hierarchical arrangement of **Kent's Repertory**, and the thematic precision of **Knerr's Repertory**, to more contemporary and clinically-oriented works like **Murphy's Homeopathic Clinical Repertory**, **Synthesis Repertory**, and the highly advanced **RadarOpus** digital platform. Each of these repertories offers a unique lens through which to view symptomatology—whether through general symptoms, pathological rubrics, organ-specific findings, or constitutional characteristics. In recent decades, thematic or disease-specific repertories have also gained prominence, offering targeted insights into conditions such as osteoporosis, hormonal disorders, and calcium metabolism imbalances.

In the context of osteopenia in perimenopausal women, repertorization assumes critical importance. This condition does not present as a single isolated symptom, but rather as a constellation of interconnected features—ranging from musculoskeletal discomfort, fatigue¹¹⁻²⁵, and recurrent infections to more subtle signs like mood disturbances, thermoregulatory imbalances, and sleep disorders. Moreover, the influence of miasmatic tendencies, genetic predispositions, and lifestyle factors further complicates clinical decision-making. The use of a carefully selected repertory enables the homoeopath to synthesize this multifaceted data into a coherent prescription strategy that addresses not only the local pathology but also the systemic and constitutional imbalances underlying the condition.

It is important to note that while some repertories emphasize clinical conditions and pathologies, others focus on mental-emotional states, modalities, sensations, and generalities. For instance, a repertory like Kent's may be more suitable for cases with prominent mental-emotional symptoms, while Murphy's Clinical Repertory might be advantageous for its broader inclusion of modern pathological terminology, including rubrics specific to bone density²⁵⁻⁴¹, hormonal changes, and menopausal disorders. Boenninghausen's analytical approach, emphasizing modalities and concomitants, may be particularly useful in chronic degenerative conditions where modalities play a defining role.

Despite the wealth of homoeopathic repertories available, there is a relative scarcity of focused academic literature that specifically explores their comparative utility in managing osteopenia in perimenopausal women. Given the increasing prevalence of this condition, coupled with a growing interest in integrative and individualized

therapies, there is a pressing need to examine the practical application of various repertories in clinical settings. A detailed, comparative review not only enhances our understanding of repertorial methodologies but also equips homoeopathic practitioners with better tools for precision prescribing in this demographic.

Therefore, the objective of this **narrative review** is to provide an in-depth exploration of various homoeopathic repertories—both classical and contemporary—in the context of managing osteopenia in perimenopausal women. This review aims to:

1. Analyze the structure, scope, and thematic focus of key repertories relevant to bone health and hormonal imbalances.
2. Identify and compare pertinent rubrics and remedy groupings associated with osteopenia and related symptoms.
3. Evaluate the methodological strengths and clinical relevance of each repertory in the management of osteopenia.
4. Offer guidance on repertory selection and repertorization techniques tailored to the perimenopausal population.

By critically appraising the role of different repertorial tools in the homoeopathic management of osteopenia, this review aspires to contribute meaningfully to both academic discourse and clinical practice. It also reinforces the enduring relevance of repertory-based case analysis in navigating the complexities of modern health challenges, reaffirming homoeopathy's potential as a safe, individualized, and holistic system of healing for women during one of the most vulnerable phases of their lives.

Methodology

This article follows a narrative review design, which is particularly suited for synthesizing and critically appraising heterogeneous and conceptual data derived from a wide array of classical and modern homoeopathic repertories. Unlike systematic reviews, which are structured around narrow clinical questions and strict inclusion criteria, narrative reviews allow for a broader exploration of the topic, integrating historical insights, philosophical principles, repertorial methodologies, and clinical relevance within a thematic framework. The methodology adopted for this narrative review comprises multiple phases, including literature identification, selection, analysis, and synthesis, each of which is outlined below.

1. Objective and Scope Definition

The primary objective of this review is to explore, compare, and analyze various homoeopathic repertories with regard to their application in the management of osteopenia in perimenopausal women. To fulfill this objective, the following sub-goals were defined:

To identify relevant repertories that include rubrics or remedy references related to bone health, hormonal imbalances, menopausal symptoms, and constitutional features.

To examine the structure, rubric classification, scope, and depth of each repertory in the context of osteopenia.

To determine the relevance and applicability of each repertory to the clinical presentation of perimenopausal osteopenia.

To offer comparative insights into repertory utility based on philosophical orientation (e.g., Kentian, Boenninghausen, clinical), remedy coverage, and thematic focus.

2. Data Sources and Literature Search

A comprehensive search strategy was developed to identify classical and contemporary homoeopathic repertories, peer-reviewed journals, textbooks, materia medica, and academic theses related to the management of bone-related disorders, particularly osteopenia and osteoporosis, within homoeopathic literature.

The following sources were consulted:

Classical Repertories: Including but not limited to Kent's Repertory of the Homoeopathic Materia Medica, Boenninghausen's Therapeutic Pocket Book, Boger's Synoptic Key, and Knerr's Repertory of Hering's Guiding Symptoms.

Modern Repertories: Such as Murphy's Homeopathic Clinical Repertory, Synthesis Repertory, Complete Repertory, and repertories integrated into digital platforms like RadarOpus and MacRepertory.

Materia Medica Texts: Both classical and contemporary texts were referred to for cross-validation of remedy indications.

Academic Databases: Google Scholar, ResearchGate, PubMed (for comparative or integrative perspectives), AYUSH research portals, and institutional homoeopathic repositories. **Gray Literature:** Dissertations and theses from homoeopathic colleges, clinical case reports, seminar transcripts, and conference proceedings.

The search included materials published in English without strict time limitations, in order to capture the full historical and developmental trajectory of repertorial evolution.

3. Selection Criteria

The inclusion and exclusion criteria for repertories and literature sources were guided by the following considerations:

Inclusion Criteria:

Repertories containing rubrics or subrubrics relevant to bone density loss, menopausal changes, hormonal imbalance, or metabolic bone disorders. Repertories commonly used in academic training and clinical homoeopathic practice.

Exclusion Criteria:

Repertories or texts without any reference to conditions related to bone health.
Non-homoeopathic works, unless used for comparative or contextual analysis.
Articles lacking academic rigor, referencing, or clarity of data.

4. Data Extraction and Analysis

Each selected repertory was analyzed using the following framework:
Structural Characteristics: Organization of rubrics, use of chapters (e.g., Generalities, Bones, Female Genitalia), grading of remedies, presence of cross-references, and user-friendliness.
Rubric Mapping: Identification of relevant rubrics (e.g., "Bones – Fragility", "Calcium metabolism", "Menopause – complaints during", "Osteoporosis", "Back pain – during climacteric") and associated remedies.
Philosophical Orientation: Determining whether the repertory follows the Kentian, Boenninghausen, Boger, or clinical approach.
Clinical Relevance: Assessing the repertory’s usefulness in modern clinical practice for conditions involving perimenopausal osteopenia.
Remedy Representation: Evaluation of remedy diversity and depth in relevant rubrics, including polychrests, deep-acting constitutional remedies, and lesser-known nosodes or organ remedies.

Practical Utility: Feedback from clinical case literature and homoeopathic practitioners was integrated wherever available to assess real-world applicability.

5. Synthesis of Findings

Data from the repertory analysis were thematically synthesized to highlight:
The relative strengths and limitations of each repertory.
Differences in rubric availability, granularity, and remedy grading.
Suitability of repertories for various levels of prescribing: constitutional, pathological, organ-specific, or miasmatic.
Recommendations for repertory selection based on the nature of osteopenic cases—whether dominated by general symptoms, mental/emotional factors, or pathophysiological changes.
Charts and tables were used to consolidate comparative findings for ease of interpretation.

6. Expert Input and Validation

To ensure the clinical relevance of the review, insights were sought from senior homoeopathic practitioners and academicians with experience in managing perimenopausal complaints and musculoskeletal disorders. Informal interviews and feedback from case-based repertorization practices were incorporated to ground the theoretical discussion in practical reality.

Review of Individual Repertories

Repertory	Approach	Rubric Osteopenia	Coverage for	Best Suited For	Limitations
Kent’s Repertory	Hierarchical, mind to body	Indirect (bones, menopause, weakness)		Constitutional cases with clear generals/mentals	Limited clinical rubrics
Boenninghausen	Modalities and concomitants	Indirect via modalities and location		Chronic conditions with clear modalities	Less mental/emotional focus
Synthesis	Comprehensive, expanded Kent	Moderate (menopause, calcium)	to high bones,	Multi-system, cases	Can be overwhelming
Murphy’s Clinical	Alphabetical, clinical focus	High (osteopenia, osteoporosis, hormones)		Pathology-based modern clinical cases	Risk of superficial prescribing
Complete Repertory	Exhaustive, digital-friendly	Very high (detailed bone and metabolic rubrics)		Advanced repertorization, complex chronic cases	Requires skill and time

Discussion

The management of **osteopenia in perimenopausal women** presents a complex therapeutic challenge that requires an integrative understanding of hormonal physiology, bone metabolism, constitutional susceptibility, and emotional well-being. Homoeopathy, with its individualized approach and emphasis on the totality of symptoms, provides a viable therapeutic modality for addressing such multifactorial conditions. Within this system, the use of **repertories** plays a central role in translating clinical symptoms into precise remedy selection. This review of

various homoeopathic repertories reveals both the **evolution** of repertorial thinking and the **expanding clinical applicability** of repertory tools in addressing modern chronic conditions like osteopenia.

The findings from this review illustrate that **no single repertory is universally superior**; instead, each repertory offers unique strengths depending on the case's orientation—whether **pathology-centered, constitutionally-focused, modality-driven, or multi-dimensional**. The choice of repertory must, therefore, be dictated by the **nature of the presenting symptoms, the depth of the case, and the prescribing philosophy of the practitioner**.

The Evolving Nature of Repertory Utility

Classical repertories, such as **Kent's Repertory** and **Boenninghausen's Therapeutic Pocket Book**, continue to serve as foundational tools in homoeopathic practice. Kent's Repertory, with its well-structured format and emphasis on mental and general symptoms, remains invaluable for deep constitutional⁴²⁻⁶⁰ prescribing—particularly when perimenopausal women present with emotional disturbances (e.g., anxiety, mood swings, irritability) as a predominant complaint. However, its lack of explicit pathological rubrics limits its utility in cases where the clinical diagnosis (e.g., osteopenia) forms the major guiding feature.

Boenninghausen's repertory, though compact, is uniquely useful in cases that present with **clear modalities and concomitant symptoms**, such as bone pains aggravated by exertion or weather changes, or symptoms like fatigue associated with climacteric complaints. Its systemic analysis of modalities across locations can provide precise remedy choices in osteopenic presentations where modalities are well defined but general symptoms are sparse.

In contrast, **Murphy's Clinical Repertory** and **Synthesis Repertory** reflect the evolution of homoeopathic repertorization in the modern era. They accommodate the increasing demand for **clinical specificity** and **terminological clarity**, making them highly relevant in conditions like osteopenia, which have well-defined pathophysiological markers. Murphy's repertory, in particular, integrates terminology familiar to contemporary practitioners and patients—such as "osteopenia", "osteoporosis", "calcium deficiency", and "hormonal imbalance"—bridging the gap between traditional symptom language and modern diagnostics. This makes it especially valuable for practitioners who need to address pathology-based presentations without losing the essence of individualization.

The **Synthesis Repertory**, with its vast array of cross-referenced rubrics and integration of both classical and modern inputs, allows for nuanced analysis in cases that involve overlapping systems—such as musculoskeletal degeneration, endocrine imbalance, and emotional lability. It supports a holistic repertorial approach while preserving classical roots, thus catering to a broad spectrum of case profiles.

The **Complete Repertory**, known for its exhaustive content and integration with digital platforms, represents the pinnacle of repertorial comprehensiveness. It allows for a multi-rubric, multi-remedy exploration of complex conditions and is best suited for practitioners adept at digital repertorization and comparative materia medica analysis. However, its sheer volume demands a high level of skill and discernment to avoid data saturation and over-repertorization.

Clinical Implications for Osteopenia in Perimenopausal Women

Perimenopausal osteopenia is not merely a disease of bone loss; it is a **systemic reflection of hormonal, metabolic, emotional, and often miasmatic disturbances**. A purely pathological or symptom-based prescription may yield only superficial relief or transient improvements. Hence, the **integration of constitutional, pathological, and general symptoms** is essential to achieving sustained clinical outcomes in homoeopathic management.

This integrative approach requires the repertory to support:

Rubrics covering **bone tissue degeneration**, fragility, and associated pains;

Rubrics that address **hormonal fluctuations**, particularly related to estrogen withdrawal;

Mental and emotional rubrics, especially **irritability, fear, mood instability, and loss of confidence**—common during the perimenopausal transition;

Generalities such as **chilliness, sweating, aversion to exertion, or worse from dampness**, which often accompany declining bone strength;

Rubrics reflecting **miasmatic influences**, particularly **syphilitic** and **sycotic** tendencies, known to underlie degenerative conditions.

Repertories that offer both **clinical specificity** and **constitutional depth**—such as Murphy's and Synthesis—are particularly useful in this scenario. However, the experienced practitioner may choose to integrate multiple repertories during the case analysis. For instance, **Kent's Repertory** may guide remedy selection based on the emotional sphere, while **Murphy's Repertory** may provide clarity on clinical and diagnostic indicators, and **Boenninghausen's Repertory** may fine-tune selection through modalities and concomitants.

The Role of Practitioner Discretion and Repertory Integration

An important insight emerging from this review is that the **repertory is a tool, not a prescription engine**. Its utility is only as strong as the case-taking process and the practitioner's interpretive skills. Even the most advanced repertory cannot substitute for the depth of case understanding, accurate symptom classification, and materia medica knowledge.

In some cases, integration of multiple repertories may be beneficial. A **triangulation approach**, combining insights from Kentian structure, Boenninghausen's modalities, and Murphy's clinical specificity, may yield a more comprehensive understanding of the case. Digital tools such as **RadarOpus** and **MacRepertory** facilitate such integration and allow for efficient cross-referencing of rubrics and remedies across repertorial sources.

Additionally, repertorization should always be followed by **materia medica validation**. Remedies such as *Calcareo carbonica*, *Phosphorus*, *Silicea*, *Fluoric acid*, *Symphytum*, *Ruta*, and *Natrum muriaticum* frequently emerge in osteopenic cases, but their final selection must align with the **constitutional essence and totality of the patient**.

Limitations of the Review

While this narrative review provides a structured appraisal of repertories in the context of osteopenia in perimenopausal women, several limitations must be acknowledged:

The review is qualitative in nature and does not include empirical outcome data from clinical trials or case series.

The selection of repertories was limited to the most commonly used tools in practice and academia; lesser-known repertories or region-specific adaptations may also hold clinical relevance.

Interpretation of repertory structure and utility is partially influenced by philosophical orientation, which varies across homoeopathic schools.

Future Direction:

Clinical case audits demonstrating successful management of osteopenia using specific repertories.

Comparative studies analyzing patient outcomes based on different repertorization strategies.

Integration of AI-powered repertory tools that can personalize remedy suggestions by blending pathology with constitution.

Development of a **specialized repertory or module** focusing solely on **bone health, calcium metabolism, and menopausal disorders**.

Rubrics Mapping

Rubrics mapping is a crucial step in repertorial analysis, especially when dealing with conditions like **osteopenia**, which are multifactorial and do not always present with direct pathological rubrics in classical homoeopathic repertories. In the case of **perimenopausal osteopenia**, relevant rubrics must be drawn from various chapters—such as *Bones*, *Generalities*, *Female Genitalia/Sex – Menopause*, *Extremities*, *Mind*, and *Metabolism*—depending on the symptomatology and constitution of the patient.

This section presents a **comparative mapping** of rubrics across different repertories—classical and modern—based on categories of symptoms relevant to osteopenia. Each rubric is followed by **notable remedies** commonly associated with them. This mapping supports the practical application of repertory use in real-world clinical settings.

A. Bone Health and Degeneration

Symptom/Concept	Repertory	Rubric	Representative Remedies
Bone fragility / demineralization	Murphy's Clinical	Bones, brittle; decalcification; osteoporosis	<i>Calcareo carb.</i> , <i>Phosphorus</i> , <i>Silicea</i> , <i>Fluoric acid</i> , <i>Symphytum</i>
Bone pain in menopause	Kent / Synthesis	Bones – pain – during climacteric period	<i>Calcareo phos.</i> , <i>Sepia</i> , <i>Phosphorus</i> , <i>Sulphur</i>
Tendency to fractures	Complete	Generalities – fracture tendency to	<i>Symphytum</i> , <i>Ruta</i> , <i>Silicea</i> , <i>Phosphoric acid</i>
Bone inflammation or weakness	Synthesis	Bones – inflammation / weakness / caries	<i>Silicea</i> , <i>Calcareo fluor.</i> , <i>Fluoric acid</i> , <i>Mercurius</i> , <i>Hecla lava</i>

B. Hormonal Changes and Menopausal Complaints

Symptom/Concept	Repertory	Rubric	Representative Remedies
Menopause-related complaints	Murphy's / Synthesis	Female Genitalia – menopause complaints	<i>Sepia</i> , <i>Lachesis</i> , <i>Sulphur</i> , <i>Pulsatilla</i> , <i>Cimicifuga</i>
Bone loss due to hormonal imbalance	Murphy's	Hormones – estrogen deficiency; Menopause – bone loss during	<i>Calcareo carb.</i> , <i>Phosphorus</i> , <i>Lachesis</i> , <i>Fluoric acid</i>
Climacteric mental/emotional symptoms	Kent / Synthesis	Mind – anxiety – climacteric period / Mind – irritability – menopause	<i>Sepia</i> , <i>Lachesis</i> , <i>Ignatia</i> , <i>Natrum mur.</i>
Calcium metabolism disorder	Murphy's	Generalities – calcium metabolism; Bones – decalcification	<i>Calcareo carb.</i> , <i>Calcareo phos.</i> , <i>Phosphorus</i> , <i>Silicea</i>

C. Musculoskeletal Symptoms

Symptom/Concept	Repertory	Rubric	Representative Remedies
Back pain with weakness	Kent / Murphy's	Back – pain – lumbar during menopause	<i>Calcareo carb.</i> , <i>Rhus tox.</i> , <i>Phosphorus</i> , <i>Sepia</i>
Joint stiffness, early degenerative changes	Synthesis	Extremities – stiffness joints – chronic	<i>Rhus tox.</i> , <i>Bryonia</i> , <i>Causticum</i> , <i>Ruta</i> , <i>Calc. fluor.</i>

Symptom/Concept	Repertory	Rubric	Representative Remedies
Pain in extremities due to exertion or weight bearing	Boenninghausen	Extremities – pain – after exertion	<i>Ruta, Rhus tox., Bryonia, Arnica</i>

D. Generalities and Constitution

Symptom/Concept	Repertory	Rubric	Representative Remedies
Weakness, fatigue, debility	Kent / Synthesis	Generalities – weakness – physical	<i>Phosphoric acid, Silicea, Calcarea carb., Gelsemium</i>
Worse from exertion	Boenninghausen	Aggravation – exertion – from physical exertion	<i>Calcarea carb., Arnica, Rhus tox.</i>
Chilly and sensitive to cold	Kent	Generalities – cold takes cold easily	<i>Silicea, Calcarea carb., Psorinum</i>
Appetite for indigestible things (pica) – common in calcium deficiency	Synthesis / Murphy's	/ Appetite – desires chalk, lime, slate, etc.	<i>Calcarea carb., Alumina, Phosphorus</i>

E. Mental and Emotional Sphere

Symptom/Concept	Repertory	Rubric	Representative Remedies
Mood swings, irritability	Kent / Synthesis	/ Mind – irritability – climacteric	<i>Lachesis, Sepia, Ignatia, Pulsatilla</i>
Anxiety about health / future	Kent / Murphy's	/ Mind – anxiety – about health / about future	<i>Phosphorus, Calcarea carb., Arsenicum alb., Natrum mur.</i>
Depression during menopause	Synthesis	Mind – depression – climacteric	<i>Sepia, Lachesis, Ignatia, Natrum mur.</i>
Apathy or mental dullness with weakness	Murphy's / Kent	/ Mind – indifference / weakness – mental from physical weakness	<i>Phosphoric acid, Gelsemium, Calcarea phos.</i>

F. Miasmatic Indicators (Chronic Predisposition)

Miasm	Associated Rubrics	Representative Remedies
Syphilitic (degenerative, destructive changes – bone decay, fractures)	Bones – caries; Bones – fragile; Generalities – destructive processes	<i>Mercurius, Syphilinum, Fluoric acid, Silicea</i>
Sycotic (overgrowth, hormonal imbalance, sluggish metabolism)	Glands – induration; Hormonal imbalance; Generalities – heaviness	<i>Thuja, Natrum sulph., Medorrhinum</i>
Psoric (chronic weakness, deficiency states)	Generalities – weakness; Mind anxiety; Bones – softening	<i>Calcarea carb., Sulphur, Psorinum, Lycopodium</i>

Conclusion

The increasing prevalence of **osteopenia among perimenopausal women** has become a growing concern in global healthcare, particularly due to the rising life expectancy, urban lifestyle factors, sedentary habits, poor nutrition, and prolonged hormonal imbalances. As conventional medicine often relies on hormone replacement therapy (HRT), calcium supplementation, or bisphosphonates—with varying results and associated risks—homoeopathy offers a unique and gentle alternative. Its strength lies not only in symptom relief but in addressing the **root cause**, the **individual susceptibility**, and the **miasmatic background** of each patient. Central to this individualized approach is the **accurate and thoughtful use of repertories**, which serve as the homoeopath's essential clinical compass.

This narrative review underscores that **repertorial tools are not mere indices of symptoms** but carefully structured maps that translate the language of disease and patient expression into the language of remedies. The effective use of repertories requires more than technical knowledge—it calls for insight, clinical judgment, and philosophical understanding. In the case of osteopenia, this is especially vital, as it is a **silent condition** that may remain undetected until significant demineralization or fracture risk presents. Moreover, in perimenopausal women, it rarely occurs in isolation and is often accompanied by a myriad of systemic, hormonal, emotional, and lifestyle-related symptoms.

The review of various repertories—ranging from **Kent's classical hierarchical format**, **Boenninghausen's modality- and concomitant-based logic**, to **Murphy's clinically structured contemporary repertory**, and the **comprehensive Synthesis and Complete Repertories**—reveals that each has distinctive value. Their selection should not be arbitrary but should be **tailored to the nature of the case**, the clarity of modalities or generalities, the availability of clinical features, and the practitioner's orientation—whether constitutionally, pathologically, or miasmatically inclined.

Kent's Repertory, with its emphasis on generals and mentals, remains foundational in constitutional prescribing, especially when mental-emotional symptoms dominate the case, as is often seen during hormonal fluctuations of perimenopause. Boenninghausen's Therapeutic Pocket Book, though concise, is methodologically powerful when

symptoms are clear in modalities and accompanied by prominent concomitants—making it suitable for patients with less expressiveness but definite physical modalities. Murphy's Repertory offers immense practical value in its straightforward clinical rubric system, especially when dealing with diagnostic labels such as "osteopenia", "osteoporosis", or "calcium metabolism disorders", which may be more easily accessible to practitioners familiar with modern diagnostic terminology.

Synthesis and Complete Repertories provide the **most comprehensive landscape**, integrating classical and contemporary data from diverse sources, allowing a practitioner to approach both subtle constitutional states and overt pathology. Their digital compatibility also makes them invaluable in modern practice, enabling the integration of rubrics from multiple chapters—bones, glands, hormones, mind, generalities—especially in complex chronic presentations.

The **rubrics mapping** undertaken in this review offers practical guidance to clinicians, providing a bridge between clinical presentations and their repertorial equivalents across different sources. This mapping helps identify gaps in repertory content and areas where further integration of clinical language and homoeopathic philosophy is needed. For example, while Murphy's Repertory explicitly lists rubrics such as "Osteopenia" and "Bone loss during menopause," classical repertories require interpretation and the selection of associated rubrics such as "Bones – pain," "Bones – brittle," or "Generalities – decalcification."

Furthermore, the miasmatic dimension—often overlooked in repertorization—plays a key role in degenerative pathologies like osteopenia. The syphilitic miasm, in particular, correlates with destructive processes in bone tissue, while the sycotic miasm may be implicated in sluggish metabolism and hormonal dysregulation. The inclusion of miasmatic rubrics and remedy differentiation based on chronic predispositions offers a more complete and enduring therapeutic response.

In essence, **repertories must not be used in isolation but as part of a dynamic triad**—alongside detailed case-taking and materia medica reference. The final selection of a remedy in osteopenia cases should ideally resonate with the patient's totality, including their hormonal profile, bone health status, constitutional makeup, mental and emotional tendencies, and miasmatic inheritance. Remedy selection must be validated against the materia medica to ensure that it aligns not only with the most prominent rubrics but with the essence of the patient's suffering.

Additionally, the review emphasizes the importance of **integrative learning and repertory literacy**. As homoeopathy progresses into the 21st century, there is an urgent need to:

Train practitioners in multi-repertory approaches,

Develop specialized modules within repertories for bone and endocrine disorders,

Incorporate rubrics that reflect modern diagnostic language without compromising homoeopathic philosophy,

Encourage evidence-based studies to evaluate repertorial outcomes in chronic conditions like osteopenia.

To conclude, **homoeopathy possesses the depth, flexibility, and philosophical coherence to manage osteopenia in perimenopausal women**, provided it is practiced with rigor, discernment, and respect for individualization. Repertories, when used intelligently and in tandem with sound clinical judgment, allow the practitioner to transform a set of scattered symptoms into a coherent therapeutic strategy. The future of homoeopathic management of degenerative conditions like osteopenia lies not only in new remedies or modern tools but in **re-discovering the timeless art of case individualization through the careful and purposeful use of repertories**.

References

1. Kent JT. *Repertory of the Homoeopathic Materia Medica*. 6th ed. New Delhi: B. Jain Publishers; 2004.
2. Boenninghausen CMF von. *Therapeutic Pocket Book*. Translated by T.F. Allen. New Delhi: B. Jain Publishers; 2002.
3. Murphy R. *Homeopathic Clinical Repertory*. 3rd ed. Florida: Lotus Health Institute; 2010.
4. Schroyens F. *Synthesis Repertory*. 9.1 ed. London: Homeopathic Book Publishers; 2011.
5. van Zandvoort R. *Complete Repertory*. 2023 ed. London: Archibel; 2023.
6. Boericke W. *Pocket Manual of Homoeopathic Materia Medica & Repertory*. New Delhi: B. Jain Publishers; 2008.
7. Phatak SR. *A Concise Repertory of Homeopathic Medicines*. 4th rev ed. New Delhi: B. Jain Publishers; 2005.
8. Khanaj VR. *Reperire – Repertory Simplified*. Jaysingpur (MH): Narayana Verlag; 2012.
9. Tiwari SK. *Essentials of Repertorization*. 6th ed. New Delhi: B. Jain Publishers; 2020.
10. Kalathia G. *Using Repertory in Homoeopathy*. India: Emrys Publishing; 2023.
11. Murphy R. *Homeopathic Medical Repertory – Modern Alphabetical & Practical*. New Delhi: B. Jain Publishers; 2015.
12. Saha B, Dey A. Role of homoeopathy in improving bone mineral density in post-menopausal women – A pilot study. *Indian J Res Homoeopathy*. 2021;15(1):34-41.
13. Verma DK, Sharma V, Mohan R, Sailakwal D, Pathak R. Effectiveness of Homoeopathic Medicines in Treatment of Osteoporosis in Post Menopausal Age – A Case Report. *J Neonatal Surg*. 2021;10(2):6586.
14. Finkelstein JS, Brockwell SE, Mehta V, Greendale GA, Sowers MR, Ettinger B, et al. Bone mineral density changes during the menopause transition in a multi-ethnic cohort of women. *J Clin Endocrinol Metab*. 2008 Mar;93(3):861-8.
15. Burden of osteopenia and osteoporosis among postmenopausal women in India: A systematic review and meta-analysis. *Indian J Endocrinol Metab*. 2022;26(4):540-547.

16. Prevalence of osteoporosis and osteopenia in an apparently healthy Indian population – a cross-sectional retrospective study. *Bone Rep.* 2019;11:100204.
17. Using Repertory in Homoeopathy (book review) – Homoeopathy360. 2021;
18. Ayush Upchar. Homoeopathic Medical Repertory. New Delhi: AYUSH Upchar; 2018.
19. Homoeopathy Gurukul. *Pocket Manual Of Homoeopathic Materia Medica & Repertory* (Boericke). New Delhi: Homoeopathy Gurukul; 2019.
20. Popular Book Depot. *Repertory of the Homoeopathic Materia Medica – Medium (with thumb index)*. 2nd ed. New Delhi: Popular Book Depot; 2018.
21. Popular Book Depot. *Repertory of the Homoeopathic Materia Medica – Large (with thumb index)*. 3rd ed. New Delhi: Popular Book Depot; 2021.
22. “Unshackling osteoporosis: Impacting 61 million people’s lives in India.” IANS Health. 2023; (Oct 23).
23. Classic yin and yang tonic formula for osteopenia: study protocol for a randomized controlled trial. *Trials.* 2011;12:82.
24. Emryss Publishing. *Using Repertory in Homeopathy – book*. India: Emryss Publishing; 2023.
25. Homoeopathy Gurukul. *A Concise Repertory of Homoeopathic Medicines* (Phatak). New Delhi: Homoeopathy Gurukul; 2000.
26. Gurukul Homoeopathy. *Pocket Manual of Homoeopathic Materia Medica & Repertory* (Boericke) – details. New Delhi: Homoeopathy Gurukul; 2020.
27. Homoeopathy Gurukul. *A Concise Repertory of Homoeopathic Medicines – description*. New Delhi: Homoeopathy Gurukul; 2005.
28. Kalathia G. *Using Repertory in Homoeopathy – features listing* (Emryss). India; 2023.
29. Tiwari SK. *Essentials of Repertorization – Sixth Edition*. New Delhi: B. Jain Publishers; 2020.
30. Khanaj VR. *Reperire – Repertory Simplified*. Jaysingpur: Narayana Verlag; 2012.
31. Allen HC. *Keynotes and Characteristics with Comparisons of Some of the Leading Remedies of the Materia Medica*. 10th ed. New York: Boericke & Tafel; 1891.
32. Clarke JH. *A Dictionary of Practical Materia Medica*. Vol.1-2. 5th ed. London: J.A. Churchill; 1936.
33. Hering C. *The Guiding Symptoms of Our Materia Medica*. Vol.1-6. 2nd ed. New Delhi: B. Jain Publishers; 2000.
34. Boger CW. *Boger’s Synoptic Key of the Materia Medica*. 2nd ed. New Delhi: B. Jain Publishers; 1999.
35. Kunzli R. *Manual of Homoeopathic Repertory*. Revised ed. New Delhi: B. Jain Publishers; 2007.
36. Harrison’s Principles of Internal Medicine. 20th ed. New York: McGraw-Hill; 2018.
37. Holick MF. Vitamin D deficiency. *N Engl J Med.* 2007 Jul;357(3):266-81.
38. Cauley JA. Estrogen and bone health in women. *Endocr Rev.* 2015;36(3):14-29.
39. National Osteoporosis Foundation. *Clinician’s Guide to Prevention and Treatment of Osteoporosis*. Washington DC; 2020.
40. World Health Organization. Assessment of fracture risk and its application to screening for post-menopausal osteoporosis: Report of a WHO Study Group. *WHO Tech Rep Ser.* 1994;843:1-129.
41. Sowers MR, Greendale G, Weiss G. Bone health during the menopausal transition. *Endocr Rev.* 2022;43(2):135-155.
42. Berkowitz GS, Cramer DW. Endocrine factors in women’s bone health. *J Bone Miner Res.* 2017;32(5):912-920.
43. Rizzoli R, Reginster J-Y, Arnal J-F, Bautmans I, Beaudart C, Bischoff-Ferrari H, et al. Management of osteoporosis in postmenopausal women: The 2021 update of the recommendations of the European Society for Clinical and Economic Aspects of Osteoporosis, Osteoarthritis and Musculoskeletal Diseases (ESCEO). *Osteoporos Int.* 2021;32(6):189-213.
44. Kanis JA, Cooper C, Rizzoli R, Reginster J-Y. European guidance for the diagnosis and management of osteoporosis in postmenopausal women. *Osteoporos Int.* 2022;33(1):1-12.
45. Bharath M, Singh S. Bone mineral density loss in Indian women: A systematic review. *Indian J Med Res.* 2020;151(5):457-468.
46. International Journal of Homoeopathy & Natural Medicine (IJHNM). Homoeopathy and bone metabolism disorders. 2023;2(1):12-20.
47. Sharma RK, Sharma R. *Manual of Gynaecology*. 3rd ed. New Delhi: CBS Publishers; 2017.
48. Gupta A, Sinha PK. Effect of exercise and calcium supplementation on bone mineral density in peri- and post-menopausal Indian women. *J Osteoporos India.* 2019;7(2):45-52.
49. Ding C, Cicuttini FM. Hormonal transition and the risk of low bone mass in women. *Clin Endocrinol (Oxf).* 2019;91(3):475-483.